





Surgical Scrub Sink, Double



Specifications

Made of Grade 304 stainless steel Knee commanded soap and water control Mixer to adjust water temperature Four adjustable legs Wall mounted model (optional)

Size: 120x60x130h cm



Surgical Scrub Sink, Double



Specifications

Made of Grade 304 stainless steel Photocell commanded water control Pedal commanded soap control Mixer to adjust water temperature Four adjustable legs Wall mounted model (optional)

Size: 120x60x130h cm



Instrument Washing Sinks



Specifications

Made of Grade 304 stainless steel Two Sinks

Tap with one point, spiral extension and douche (Optional) Wall side raised edge for Wall protection Adjustable legs

Size: 70x180x85cm

(Can be supplied in various sizes upon request)



Surgical Scrub Sink, Single



Specifications

Made of Grade 304 stainless steel Knee commanded soap and water control Mixer to adjust water temperature Four adjustable legs Wall mounted model (optional)

Size: 60x60x130h cm



Surgical Scrub Sink, Triple



Specifications

Made of Grade 304 stainless steel Photocell commanded water control Pedal commanded soap control Mixer to adjust water temperature Four adjustable legs Wall mounted model (optional)

Size: 180x60x130h cm



Working Table



Specifications

Made of Grade 304 stainless steel Two shelves Adjustable legs Wall side raised edge for Wall protection

(Can be supplied in various sizes upon request)



Working Table



Specifications

Made of Grade 304 stainless steel Adjustable legs Cupboard with sliding doors with one shelve inside

Size: 60x140x85 cm

(Can be supplied in various sizes upon request)



SSWT03

One cabinet with sliding doors (swinging doors are optional)

Working Table with Drawers and Cabinet

Two shelves inside the cabinet

Adjustable legs

Castors (optional)

(Can be supplied in various sizes upon request)



Instrument and Drug Cabinet



Instrument And Drug Cabinet



Made of Grade 304 stainless steel Adjustable legs Two glass doors with lock Three shelves

Size: 45x90x180 cm



Specifications

Made of Grade 304 stainless steel Upper part with two lockable glass doors and two shelves inside lower part with two drawers and one closet

Adjustable legs

Size: 30x70x175 cm





Endoscope Cabinet



Anesthesia Trolley

Specifications

Made of Grade 304 stainless steel lockable glass door Designed for storage of endoscopes in safe and sterile area

Cabinet inside is lined with shock absorbant material

Adjustable legs

Size: 60x40x210 cm



Specifications

Made of Grade 304 stainless steel Top with injector box and IV holder Bottom with drug box and drawers Four castors, two with brake

Size: 50x70x100 cm





Dressing Trolley



Specifications

Made of Grade 304 stainless steel Four drawers Height adjustable IV pole Sharps receptable Pushing handle Four swivel lockable castors

Size: 100x50x90 cm

Specifications

SSTT01

Made of Grade 304 stainless steel
Two detachable shelves
Two lockable doors in the front can be
opened up to 110°
Pushing handle on the side
Four castors, two of them lockable

Sterile Transfer Trolley

Size: 120x75x145 cm



Instrument Trolley, Two Shelves



Specifications

Made of Grade 304 stainless steel Two shelves with rails Four castors, two of them lockable

Size: 55x86x90 cm

(Can be supplied in various sizes upon request)



Instrument Trolley, Three Shelves



Specifications

Made of Grade 304 stainless steel Three shelves with raised rim Four castors, two of them lockable

Size: 55x86x90 cm

(Can be supplied in various sizes upon request)



Instrument Trolley, Two Shelves



Instrument Trolley with Drawer



Specifications

Made of Grade 304 stainless steel Two shelves with raised rim Four castors, two of them lockable

Size: 55x86x90 cm

(Can be supplied in various sizes upon request)

Specifications

Made of Grade 304 stainless steel Two shelves with one drawer Four castors, two of them lockable

Size: 55x86x90 cm (Can be supplied in various sizes upon request)





Instrument Trolley with Two Drawers

PS SSIT06

Instrument Trolley with Two Shelves and One Drawer

Specifications

Made of Grade 304 stainless steel Two shelves Two drawers Four castors, two of them lockable

Size: 55x86x90 cm

(Can be supplied in various sizes upon request)



Specifications

Made of Grade 304 stainless steel Two shelves with raised edges One drawer

Four castors, two of them lockable

Size: 77x47x80 cm

(Can be supplied in various sizes upon request)



Falcate Table



Specifications

Made of Grade 304 stainless steel 6 castors two of them with brakes Two shelves

Size: 45x170x90 cm



Laundry Trolley



Specifications

Made of grade 304 stainless steel Two rings with removable bag Four lockable castors

Size: 100x45x80 cm



Mayo Table, Hydraulic



Specifications

Made of Grade 304 stainless steel Hydraulic adjustment of height by pedal Three lockable castors

Size: 50x75x80-115 cm Size: 50x75x80-120 cm



Mayo Table, Mechanic



Specifications

Made of Grade 304 stainless steel Mechanical adjustment of height Lockable castors

Size: 50x75x80-115 cm



Step Stool, Single



Specifications

Made of Grade 304 stainless steel Single step

Size: 60x35x22 cm



Step Stool, Double



Specifications

Made of Grade 304 stainless steel Double step

Size: 60x65x40 cm



Bowl Stand, Single

Made of Grade 304 stainless steel One leg with five castors Single bowl with capacity of 5 lt

Base Diameter 60 cm Height: 90 cm

SSBS01



Bowl Stand, Double



Specifications

Made of Grade 304 stainless steel One leg with five castors Two bowls with capacity of 5 It each

Base Diameter 60 cm Height: 90 cm



Waste Trolley



Specifications

Made of Grade 304 stainless steel Four castors, two of them lockable Two pushing handles Top cover

Size: 90x60x90cm



Specifications

PS

Made of Grade 304 stainless steel Bin with lockable cover based on castors Carrying handle Bin holder is covered with rubber circle to protect against bumps

Size: 30x30/ 21 lt 36x36cm/ 36 lt 40x40 cm/ 50 lt



Shelving Units



Specifications

Made of grade 304 stainless steel Mobile or fixed (optional) Straight or wire grid shelves (optional) Modular construction, adjustable shelf intervals

Size: 137x36x183 cm

137x46x184 cm 137x53x185 cm 137x61x186 cm



Slipper Trolley



Specifications

Made of grade 304 stainless steel Six shelves and capacity for 24 pair of slippers Four revolving castors, two of them lockable

Size: 48x96x180 cm

(Can be supplied in various sizes upon request)



Open Container Transport Trolley



Specifications

Made of grade 304 stainless steel Four revolving castors, two of them lockable

Size: 105x63x128 cm

(Can be supplied in various sizes upon request)



Mortuary Refrigerator, Three Body

Specifications

Three seperate motors operated with seperate digital controls to provide the possibility of operating the cabins seperately whenever needed

Quick cooling capacity

Alarm system that goes on as it senses movement in the body

Digital Thermostat

Outside and indise walls are made of 304 quality Stainless steel

Fan Controlled air flow

Provided with 4 locable castors.

The morque unit is fixed on 40x40-x2mm steel profile

Body trays are made of stainless steel and provided with telescopic slide mechanism and has load capacity of 185kg and there is no need to hold it after pulling out

Provided with three doors with locks

Provided with 60 watt light that goes off automatically and can de programmed

Name tag can be provided

Size: 90x220x220 cm



Mortuary Refrigerator, Two Body

Specifications

Two seperate motors operated with seperate digital controls to provide the possibility of operating the cabins seperately whenever needed

Quick cooling capacity

Alarm system that goes on as it senses movement in the body

Digital Thermostat

Outside and indise walls are made of 304 quality Stainless steel

Fan Controlled air flow

Provided with 4 locable castors.

The morgue unit is fixed on 40x40-x2mm steel profile

Body trays are made of stainless steel and provided with telescopic slide mechanism and has load capacity of 185kg and there is no need to hold it after pulling out Provided with two doors with locks

Provided with 60 watt light that goes off automatically and can de programmed Name tag can be provided

Size: 90x220x175 cm







Mortuary Refrigerator, One Body

Specifications

Quick cooling capacity

Alarm system that goes on as it senses movement in the body

Digital Thermostat

Outside and indise walls are made of 304 quality Stainless steel

Fan Controlled air flow

Provided with 4 locable castors.

The morgue unit is fixed on 40x40-x2mm steel profile

Body tray is made of stainless steel and provided with telescopic slide mechanism and has load capacity of 185kg and there is no need to hold it after pulling out

Provided with lockable door

Provided with 60 watt light that goes off automatically and can de programmed Name tag can be provided

Size: 90x220x 90 cm





Mortuary Refrigerator, Three Body Side Acting

Three seperate motors operated with seperate digital controls to provide the possibility of operating the cabins seperately whenever needed

Quick cooling capacity

Alarm system that goes on as it senses movement in the body

Digital Thermostat

Specifications

Outside and indise walls are made of 304 quality Stainless steel

Fan Controlled air flow

Provided with 4 locable castors

The morgue unit is fixed on 40x40-x2mm steel profile

Body trays are made of stainless steel and provided with telescopic slide mechanism and has load capacity of 185kg and there is no need to hold it after pulling out Provided with three doors with locks. The doors open upwards and are supplied with

500 n gas spring

Provided with 60 watt light that goes off automatically and can de programmed Name tag can be provided

Size: 250x90x 200 cm



Mortuatry Refrigerator, Two Body Side Acting

Specifications

Two seperate motors operated with seperate digital controls to provide the possibility of operating the cabins seperately whenever needed Quick cooling capacity

Alarm system that goes on as it senses movement in the body Digital Thermostat

Outside and indise walls are made of 304 quality Stainless steel Fan Controlled air flow

Provided with 4 locable castors

The morgue unit is fixed on 40x40-x2mm steel profile

Body trays are made of stainless steel and provided with telescopic slide mechanism and has load capacity of 185kg and there is no need to hold it after pulling out

Provided with two doors with locks. The doors open upwards and are supplied with 500 n gas spring

Provided with 60 watt light that goes off automatically and can de prgrammed Name tag can be provided

Size: 250x90x 165 cm





Quick cooling capacity

Alarm system that goes on as it senses movement in the body Digital Thermostat

Outside and indise walls are made of 304 quality Stainless steel Fan Controlled air flow

Provided with 4 locable castors

The morgue unit is fixed on 40x40-x2mm steel profile

Body tray is made of stainless steel and provided with telescopic slide mechanism and has load capacity of 185kg and there is no need to hold it after pulling out

Provided with lockable door. The door opens upwards and is supplied with 500 n gas spring

Provided with 60 watt light that goes off automatically and can de programmed

Name tag can be provided

Size: 250x90x90 cm



SSMU04



PS SSMU07 Air Conditioned Coffin

Specifications

Outside and indise walls are made of 304 quality Stainless steel with wooden design cover

Easy maintenance and washable

The coffin is fixed on 30x30-x2mm steel profile

Works at 220 volt and can work in vehicles with the inverter

Digital Thermostat

Quick cooling capacity up to -12°

Coffin cover is provided with 400 n gas spring and supplied with special rubber band to prevent loss of cold air Cover is supplied with tempered glass window that allows visibility of the inside of the coffin without the need to open the coffin frequently

Edges of the coffin are reinforced with aluminum bracket to provide protection against external impact Coffin is supplied with four foldable hadles to facilitate transport and is based on four adjustable legs

Size: 225x65x44 cm



Autopsy Table

Specifications

Made of 304 quality Stainless steel Provided with a sink Includes a long spiral hose with spray head The table is fixed on a 60 cm x 60 cm column





Cadaver Lift

Specifications

Epoxy coated steel structure Stainless steel platform Hydraulic height adjustment

Platform Size: 205x75 cm Height range: 36-163 cm Weight capacity: 1000 kg





Cadaver Lift

Specifications

304 quality stainless steel structure and platform
Battery operated

Platform Size: 205x75 cm Height range: 36-136 cm Weight capacity: 250 kg







PROJESAN İHTİSAS MOBİLYASI İÇ ve DIŞ TİC. LTD. ŞTİ

Cumhuriyet Mahallesi, Millet Caddesi Bakkaloğlu İş Merkezi Kat:3 No:305 Melikgazi / Kayseri TURKEY Tel : +90 352 221 45 17 / +90 507 588 08 10 E-mail : info@projesan.com.tr - export@projesan.com.tr

www.projesan.com.tr



01.02.2015 Tarihinde İstanbul Ofset Tarafından 2000 adet basılmıştır.