



PROJESAN



HOSPITAL
BEDS

PATIENT
STRETCHERS

TROLLEYS

CABINETS
LOCKERS

Product Catalogue
www.projesan.com.tr



PATIENT TRANSFER , MOBILITY

Patient Stretchers
Wheelchairs & Patient Transfer Chairs



PS-STR07*Emergency Stretcher***Specifications**

Hydraulic backrest adjustment
 Easy fold down side rails
 X-Ray translucent sleep surface
 Washable at 95°, fire retardant, mattress cover
 Epoxy coated steel structure
 Patient belt
 Hydraulic height adjustment by means of pedals on both sides of the stretcher
 Trendelenburg and reverse trendelenburg adjustment
 360° swivel 150 mm centrally lockable castors
 Oxygen tube holder (10 lt)
 Height adjustable IV Pole
 IV pole receptacles in four corners of the stretcher
 Corner bumpers at the four corners of the stretcher

Technical Data

Height	: 62-91 cm
Trendelenburg	: 13°
Reverse Trendelenburg	: 13°
Backrest Angle	: 75°
Overall Length	: 210 cm
Width	: 77 cm
Patient Surface Length	: 191 cm
Patient Surface Width	: 59 cm
Back Section Length	: 72.5 cm
Castor Diameter	: 15 cm
Weight	: 95 kg
Safe Working Load	: 175 kg

PS-STR08*Emergency Stretcher***Specifications**

Hydraulic Backrest Adjustment
 Easy fold down side rails
 Easy to clean structure
 20 cm castors with central locking
 Fifth castor for easy maneuvering
 Minimum height of 62 cm allows easy handling for the patient and hospital staff
 High/low, trendelenburg/reverse trendelenburg positions
 Easy adjustment by levers located on both sides.
 X-Ray translucent sleep surface.
 Patient belt.
 Oxygen tank holder
 Height adjustable stainless steel IV pole
 Washable at 95°, fire retardant, mattress cover
 Plastic bumpers
 Easy to clean telescopic pistons
 Electrostatic painted metal frame

Technical Data

Height	: 62-94 cm
Trendelenburg	: 15°
Reverse Trendelenburg	: 15°
Backrest Angle	: 90°
Overall Length	: 216 cm
Width	: 77 cm
Patient Surface Length	: 195 cm
Patient Surface Width	: 62 cm
Back Section Length	: 73 cm
Castor Diameter	: 20 cm
Weight	: 110 kg
Safe Working Load	: 225 kg

PS-STR01

Patient Stretcher



Specifications

Manuel backrest adjustment
Synthetic leather covered mattress
Fold down side rails
Oxygen tube holder
360° swivel 125mm lockable castors
Protective corner bumpers

Size: 70x195x83cm

PS-STR02

Patient Stretcher



Specifications

Manuel backrest adjustment
Trendelenburg position by gas spring
Synthetic leather covered mattress
Fold down side rails
Detachable top
360° swivel 125mm lockable castors
Protective corner bumpers
Oxygen tube holder (10 lt)

PS-STR03

Operation Room Transfer Stretcher



Specifications

Manuel backrest adjustment
Trendelenburg position by gas spring
Synthetic leather covered mattress
Fold down side rails
Detachable top
360° swivel 125mm lockable castors
Protective corner bumpers
Oxygen tube holder (10 lt) in each undercarriage

Size:73x209x84cm

PS-STR04

Canvas Strtcher



Specifications

Epoxy coated steel structure
Canvas platform
Foldable

Size: 60x220x22cm

PS-CT11

Wheelchair, Foldable

Specifications

Foldable wheelchair
Fold away foot rests
Chrome plated steel structure
Soft pushing handles

Dimensions

Seat Height: 46 cm
Seat Size (internal): 44x44 cm
Seat Width: 68 cm



PS-CT12

Commode, Foldable

Specifications

Epoxy coated steel structure
Foldable commode
Removable plastic waste container
Height adjustable legs

Package Size: 50x70x10 cm



PS-CT13

Commode Wheelchair, Foldable

Specifications

Chrome plated steel parts
Four lockable castors
Two removable footrests
Removable armrests
Removable seat for easy cleaning
Removable plastic waste container
Soft pushing handles

Technical Data

Width: 60cm
Depth: 100cm
Height: 82cm
Seat size: 40x38cm
Package size: 30x110x90cm
Weight: 8kg



PROJESAN İHTİSAS MOBİLYASI İÇ ve DIŞ TİC. LTD. ŞTİ

Cumhuriyet Mahallesi, Millet Caddesi Bakkalođlu İş Merkezi Kat:3 No:305
Melikgazi / Kayseri TURKEY
Tel : +90 352 221 45 17 / +90 507 588 08 10
E-mail : info@projesan.com.tr - export@projesan.com.tr
www.projesan.com.tr



KOSGEB

www.kosgeb.gov.tr

01.02.2015 Tarihinde
İstanbul Ofset Tarafından
2000 adet basılmıştır.