#### 90111101 **BLOOD RECEPTION CHAIR**

# 90111102

# **BLOOD RECEPTION CHAIR**

## **GENERAL SPECIFICATIONS**

- Antibacterial and cleanable artificial leather covered high density foam cover.
- Height and back part chair adjustable by gas spring.
- Height and angle of arm holder adjustable by mechanical system.
- Epoxy painted steel construction is resistant to corrosion.
- Moves easily by 50 mm diameter castors.
  Vinlex colors are optional. (RVX)

## **TECHNICAL SPECIFICATIONS**



## **GENERAL SPECIFICATIONS**

- Antibacterial and cleanable artificial leather covered high density foam cover.
- Backwards at the same time moving the foot platform.
- Height and angle of arm holder adjustable by mechanical system.
- Height adjustable IV stand.
- Epoxy painted steel construction is resistant to corrosion.
  Optional artifical leather choice. (RDX)

Vidth	:	70,5 cm	
Pepth	:	96 - 170 cm	
Sitting Height	:	44 cm	
Backrest Adjustment	:	25° - 65°	
Veight	:	approx 33 kg	
/olume	:	0,90 m³	
		0	













# 90111201

# **BLOOD DONOR CHAIR**

# **DOLSAN**

## **FUNCTIONS**



Backrest Adjustment: 0 - 60°



Mattress platform height: 64,5 cm



Trendelenburg position: 0 - 12°

#### **GENERAL SPECIFICATIONS**

- Antibacterial and cleanable artificial leather covered, high density foam mattress.
- Backrest position is adjusted between 0-60 degrees by gas spring.
- Height adjustable IV stand.
- Towel rack behind of backrest.
- Trendelenburg position is adjusted between 0-12 degrees by gas spring.
  Armrests height and its angle are adjusted by mechanical system easily.
- Epoxy painted steel construction is resistant corrosion.
- Moves easily by 100 mm diameter four castors two of them with brake to fix the position.



\* RV: Vinlex color options page 81.

# 90111402

#### **FUNCTIONS**







# PATIENT RECEPTION COUCH

## GENERAL SPECIFICATIONS

- Ergonomic design.
- Foot section which moves simultaneously with the back section.
- Wheel system which may be easily moved to the desired direction.
- Three step lockable arm rests.
- Easily clearable metal construction which has high bearing capacity.
- Removable floor system.
- Plastic coated foot support platform.
- Housings for hanging serum hanger and plate table which are produced from plastics.
- Metal components painted with electrostatic paint after being coated with phosphate against corrosion.

## **TECHNICAL SPECIFICATIONS**

■ Width	: 76 cm
Depth	: 112 cm
■ Bedding Surface	: 162 cm
■ Sitting Height	: 51 cm
■ Back rest Height	: 81 cm
■ Height	: 123 cm

#### **OPTIONS**

#### GROUP 1 / CASTOR OPTIONS





#### GROUP 1 / MOTOR & GAS SPRING OPTIONS





### GROUP 2 / IV STAND OPTIONS





#### **GROUP 3 / TABLE OPTIONS**





#### **DESCRIPTION OF OPTION CODES**

- TWIN CASTOR TWO WITH BRAKE (120 MM)
- T14 CASTOR CENTRAL & DIRECTIONAL LOCK (125 MM)
- M5 MOTOR
- GAS SPRING
- WITHOUT IV STAND
- W8 IV STAND : ONE HEIGHT ADJUSTMENT SYSTEM
- WITHOUT TABLE
- TABLE



